


Schedule of Accreditation

issued by

United Kingdom Accreditation Service

21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

 Accredited to ISO/IEC 17025:2005	Testconsult Ireland Limited	
	Issue No: 010 Issue date: 30 April 2008	
	Materials Laboratory Mountrath Road Boughlone Portlaoise Co. Laoise Eire	Contact: Mr M Robinson Tel: +00 353 5786 64885 Fax: +00 353 5786 64380 E-Mail: michael@testconsult.ie Website: www.testconsult.ie

Testing performed by the Organisation at the locations specified below

Locations covered by the organisation and their relevant activities

Laboratory locations:

Location details	Activity	Location code
Address Materials Laboratory Mountrath Road Boughlone Portlaoise Co. Laoise Eire	Local contact Mr M Robinson	Laboratory testing: A
Address Testconsult Ireland Limited Materials Laboratory Direct Route Limerick North Compound Limerick Ireland	Local contact Mr M Robinson	Site sampling and testing and laboratory testing C

Site activities performed away from the locations listed above:

Location details	Activity	Location code
All locations suitable for the activities listed	Contact: Mr M Robinson	Site sampling and testing B



2528

Accredited to
ISO/IEC 17025:2005

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

Testconsult Ireland Limited
Issue No: 010 Issue date: 30 April 2008

Testing performed by the Organisation at the locations specified

DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
AGGREGATES	Sampling stockpiles of fine aggregates by hand	BS EN 932-1:1997	B
	Sampling stockpiles of coarse aggregates by hand	BS EN 932-1:1997	B
	Sampling coarse, fine and all-in aggregates - from heaps	BS 812:Part 102:1989	B
	Particle size distribution - sieving method	BS EN 933-1:1997	A
	Flakiness index	BS EN 933-3:1997	A
	Assessment of fines - methylene blue test	BS EN 933-9:1999	A
	Micro-Deval coefficient	BS EN 1097-1:1996	A
	Micro-Deval coefficient	BS EN 1097-1:1996 modified in accordance with BS EN 13450:2002 Annex E	A
	Los Angeles coefficient	BS EN 1097-2:1998	A
	Los Angeles coefficient	BS EN 1097-2:1998 modified in accordance with BS EN 13450:2002 Annex C	A
	Water content	BS EN 1097-5:1999	A
	Particle density and water absorption - pycnometer method for aggregate particles between 4 mm and 31,5 mm	BS EN 1097-6:2000	A
	Particle density and water absorption - pycnometer method for aggregate particles between 0,063 mm and 4 mm	BS EN 1097-6:2000	A
Magnesium Sulphate Test	BS EN 1367-2:1998	A	



2528

Accredited to
ISO/IEC 17025:2005

Schedule of Accreditation
issued by
United Kingdom Accreditation Service

21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

Testconsult Ireland Limited

Issue No: 010 Issue date: 30 April 2008

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
AGGREGATES (cont'd)	Aggregate crushing value - particle size 10mm and greater <i>(loads from 50 to 2000kN)</i>	BS 812:Part 110:1990	A
	Ten per cent fines value - dry - particle size 10mm and greater <i>(loads from 50 to 2000kN)</i>	BS 812:Part 111:1990	A, C
	Ten per cent fines value - soaked - particle size 10mm and greater <i>(loads from 50 to 2000kN)</i>	BS 812:Part 111:1990	A, C
	Particle size distribution - washing and sieving	BS 812:Part 103 Section 103.1:1985	A, C
	Particle size distribution - dry sieving	BS 812:Part 103 Section 103.1:1985	A, C
	Flakiness index	BS 812:Part 105 Section 105.1:1989	A, C
	Moisture content - oven drying method	BS 812:Part 109:1990	A, C
	Uniformity coefficient (221 2217)	BS 6100:Subsection 2.2.1:1992	A, C
	Polished Stone Value	BS EN 1097-8:2000	A
	Aggregate Abrasion Value	BS EN 1097-8:2000	A
	Shell Content	BS EN 933-7:1998	A
BITUMINOUS MIXTURES for roads and other paved areas	Sampling from - around the augers of the paver	BS 598:Part 100:2004	B
	Sampling of finished material - core cutting method	BS 598:Part 100:2004	B



2528

Accredited to
ISO/IEC 17025:2005

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

Testconsult Ireland Limited
Issue No: 010 Issue date: 30 April 2008

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
BITUMINOUS MIXTURES for roads and other paved areas	Binder content and grading of mineral aggregate - extraction bottle method: binder determination by difference	BS 598:Part 102:2003	A
	Percentage refusal density (PRD)	BS 598:Part 104:2005	B
	Temperature of bituminous mixtures - in the hopper of a paver - in laid-but-not-rolled material	BS 598:Part 109:1990	B
	Maximum density - volumetric procedure	BS EN 12697-5:2002	A
	Air voids	Specification for Highway Works, November 2004, Clause 929	A
BITUMINOUS ROAD SURFACING	In-situ density - nuclear method	Documented In-House Method WI No. 36, Issue 2, January 2005	B
CONCRETE - fresh	Slump	BS EN 12350-2:2000	B
	Sampling fresh concrete on site - composite sample - spot sample	BS EN 12350-1:2000	B
	Sampling fresh concrete on site	BS 1881-101:1983	C
	Sampling from initial discharge (slump test)	BS 1881-102:1983	C
	Slump	BS 1881-102:1983	C
	Flow	BS 1881-105:1984	C
	CONCRETE - hardened	Compressive strength of cubes - including curing (loads from 50 to 2000kN)	BS 1881:Part 116:1983 BS 1881:Part 111:1983



2528
Accredited to
ISO/IEC 17025:2005

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

Testconsult Ireland Limited
Issue No: 010 Issue date: 30 April 2008

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
CONCRETE - hardened (cont'd)	Compressive strength of cubes - including curing (loads from 50 to 2000kN)	BS EN 12390-3:2002 BS EN 12390-2:2000	A
	Compressive strength of cores (loads from 50 to 2000kN)	BS 1881:Part 120:1983	A, C
	Examination and Compressive strength of cores	BS EN 12504-1:2000	A
	Density	BS 1881:Part 114:1983	A, C
	Density	BS EN 12390-7:2000	A
ROAD MATERIALS - unbound and hydraulically bound mixtures	Laboratory reference density and water content - vibrating hammer	BS EN 13286-4:2003	A
ROAD PAVEMENT SURFACES	Texture depth - by the sand patch method	BS 598:Part 105:2000	B
	Pavement surface macrotexture depth using a volumetric patch technique	BS EN 13036-1:2002	B
	Surface regularity using a rolling straight-edge	TRRL Supplementary Report 290:1977	B
SOILS for civil engineering purposes	Sampling earthworks materials	Documented In-House procedure TIL-WI-MMR-002(01)	B
	Moisture content - oven drying method	BS 1377:Part 2:1990	A, C
	Liquid limit - cone penetrometer - one point	BS 1377:Part 2:1990	A, C
	Liquid limit - cone penetrometer (definitive method)	BS 1377-2:1990	A, C
	Plastic limit	BS 1377:Part 2:1990	A, C



2528

Accredited to
ISO/IEC 17025:2005

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

Testconsult Ireland Limited
Issue No: 010 Issue date: 30 April 2008

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
SOILS for civil engineering purposes (cont'd)	Plasticity index and liquidity index	BS 1377:Part 2:1990	A, C
	Particle size distribution - wet sieving	BS 1377:Part 2:1990	A, C
	Particle size distribution - dry sieving	BS 1377:Part 2:1990	A, C
	Dry density/moisture content relationship (2.5 kg rammer)	BS 1377:Part 4:1990	A, C
	Dry density/moisture content relationship (4.5 kg rammer)	BS 1377:Part 4:1990	A, C
	Dry density/moisture content relationship (vibrating hammer)	BS 1377:Part 4:1990	A, C
	California Bearing Ratio (CBR) (loads from 0.6 to 28kN)	BS 1377:Part 4:1990	A
	MCV - natural moisture content	BS 1377:Part 4:1990	A, C
	Undrained shear strength in triaxial compression without measurement of pore pressure (definitive method) (loads from 0.6 to 28kN)	BS 1377-7:1990	A, C
	Vertical deformation and strength characteristics of soil by the plate loading test (loads from 3 to 70kN)	BS 1377:Part 9:1990	B, C
	In-situ California Bearing Ratio (CBR) (loads from 0.6 to 28kN)	BS 1377:Part 9:1990	B
	In-situ density - sand replacement method (large pouring cylinder)	BS 1377:Part 9:1990	B
In-situ density - core cutter method	BS 1377:Part 9:1990	B	



2528

Accredited to
ISO/IEC 17025:2005

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
21 - 47 High Street, Feltham, Middlesex, TW13 4UN, UK

Testconsult Ireland Limited
Issue No: 010 Issue date: 30 April 2008

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
SOILS for civil engineering purposes (cont'd)	In-situ density - nuclear method - compliance tests - comparative tests	BS 1377:Part 9:1990	B, C
	Uniformity coefficient	BS 6100:Subsection 2.2.1:1992	A, C
END			